

SANOJ KUMAR

SUMMARY

To enhance my career and contribute to my organization, I am dedicated to continually improving my skills and knowledge through hard work and commitment. Experienced in leading cross-functional teams through complex projects, ensuring timely delivery and alignment with organizational goals. Demonstrates clear communication and problem-solving skills, fostering collaborative environments. Consistently drives project success by adapting to changing requirements and leveraging innovative solutions.



EXPERIENCE

PROJECT MANAGER, 05/2024 - Current

M/S VECTRAS ENPROCON PRIVATE LIMITED - SHAHDOL

- CLIENT: - BHARAT PETROLEUM CORPORATION LTD.
- PMC: - TRACTEBEL ENGINEERING PRIVATE LIMITED.
- LOCATION: - KORIYA GA. CHHATTISGARH.
- Project: - Laying & construction of 8"x7.1mm 44km 3LPE coated carbon steel underground pipeline & associated works for CGD project Part-E (Group-A) at Koriya GA.

PROJECT MANAGER, 03/2023 - 04/2024

M/S SHANTI INFRACONSTRUCT PVT LTD

- CLIENT: - BHARAT PETROLEUM CORPORATION LTD.
- PMC: - TRACTEBEL ENGINEERING PRIVATE LIMITED.
- SIDHI & SINGRULI GA. MADHYA PRADESH.
- Laying & construction of 4"x6.4mm 21km 3LPE coated carbon steel underground pipeline & associated works for CGD project in SIDHI & SINGRAULI GA MP.

PROJECT IN-CHARGE, 09/2022 - 03/2023

M/S MAS CONSTRUCTIONS

- CLIENT: - BHARAT PETROLEUM CORPORATION LTD.
- PMC: - TRACTEBEL ENGINEERING PRIVATE LIMITED.
- LOCATION: - SATNA & SHAHDOL GA. MADHYA PRADESH.
- Laying & construction of 8"x6.4mm 10km & 4"x6.4mm 2km and same trench 125mm MDPE 2500mtr 3LPE coated carbon steel underground pipeline & associated works for CGD project in SATNA & SHAHDOL GA.
- 03 Online RO's Connectivity and 1200 SCMH DRS installation work.
- RGPL/ SPGPL Hook-up and 03 no Future Tap-off installation & 04 No SV Valves Installation works.

CONTACT

Address: Shahdol M.P, 484110

Phone: +91-7753011945

Email: messanoj007@gmail.com

Date of birth: 10/03/1984

Nationality: INDIA

Marital status: MARRIED

Gender: MALE

SKILLS

- Construction, Engineering Oil & Gas Pipeline.

PROJECT IN-CHARGE, 01/2020 - 09/2022

M/S MAS CONSTRUCTIONS

- CLIENT: - INDIAN OIL CORPORATION LTD.
- PMC: - VCS QUALITY SERVICES PVT LTD.
- TPIA: - PHISTREAM CONSULTING PRIVATE LIMITED.
- LOCATION: - REWA GA. MADHYA PRADESH.
- LAYING OF 8"x6.4mm 28 km 3LPE COATED CARBON STEEL PIPELINE IN REWA GA, PART-01 (GROUP- R1)
- 02 Online RO's Connectivity installation work.
- 03 no Future Tap-off installation & 07 No SV Station & 01 GOOVA Valves Station Installation works.

Site Engineer, 09/2019 - 12/2019

BUCON ENGINEERS & INFRASTRUCTURE PVT.LTD

- CLIENT: - CENTRAL UP GAS LTD.
- PMC: - TRACTEBEL ENGINEERING PRIVATE LIMITED.
- LOCATION: - UNNAO KANPUR UTTER PRADESH.
- Laying & construction and shifting of 6"x6.4mm 6km 3LPE coated carbon steel underground pipeline & associated works for CGD project in Kanpur U.P.
- CLIENT: - CENTRAL UP GAS LTD.
- PMC: - TRACTEBEL ENGINEERING PRIVATE LIMITED.
- LOCATION: - UNNAO KANPUR UTTER PRADESH.

Site Supervisor, 05/2017 - 08/2019

D S ENTERPRISES

- CLIENT: - CENTRAL UP GAS LTD.
- PMC: - TRACTEBEL ENGINEERING PRIVATE LIMITED.
- LOCATION: - KANPUR UTTER PRADESH.
- Laying & construction of 6"x6.4mm 18km 3LPE coated carbon steel underground pipeline & same trench 125mm MDPE 12KM associated works for CGD project in (Unnao) Kanpur.
- 01 Online RO's Connectivity and 1200 SCMH DRS installation work.
- GAIL IPS Hook-up and 03 no Future Tap-off installation & 06 No SV Station Valves Installation works.

Junior Engineer, 04/2013 - 03/2017

NANDINI IMPEX PVT LTD.

- CLIENT: - GREEN GAS LIMITED.
- TPIA: - International Certification Services.
- Location – Agra & Lucknow (U.P)
- Laying & construction of 8"x6.4mm 3LPE coated carbon steel underground pipeline & associated works for CGD project in AGRA & LUCKNOW U.P.

Sr. TECHNICIAN, 05/2010 - 11/2012

MICROMAP ELECTRONIC SYSTEM PVT LTD

- CLIENT: - INDIAN RAILWAY.
- TPIA: - RESEARCH DESIGNS & STANDARDS ORGANIZATION (RDSO) & RITES LTD.
- Location – RAJKOT TO OKHA GUJARAT & CHUNAR TO CHOPAN UTTER PRADESH.
- LAYING OF 4 QUAD UG CABLE & OFC CABLE INSTALLATION

COMMISSIONING MAGNETIC TELEPHONE SM ROOM & BOOM GATE.

- LAYING 200PAIR UG TELECOMMUNICATION CABLE RAJKOT DRM OFFICE AND OKHA SM ROOM TO OFC ROOM TELECOM CABLE INSTALLATION AND COMMISSIONING WORK.
 - CHUNAR TO CHOPAN 4 QUAD CABLE LAYING AND COMMISSIONING AND CONCAVITY WORK STATIONS LIKE, CHUNAR, SATESHGARH, LUSA, KARAH, ROBATHGANJ, CHURK, AND CHOPAN STATIONS
 - TELECOM WORK VARANASI TO GORAKHPUR RAILWAY STATIONS LIKE. WORK MOTOROLA WAKI TAKI UHF-VHF INSTALLATION AND CONGREGATION WORK, 16 STATIONS TELECOM MACHINES EARTHING WORK , AND 16 STATIONS SMPS BASED UPS INSTALLATION WORK IN VARANASI DIVISION.
 - 1000-LINE TELEPHONE EXCHANGE INSTALLATION AND COMMISSIONING WORK NEAR PATNA RAILWAY STATION Central Super Speciality Hospital.
-

LANGUAGES

English:

Hindi:

EDUCATION

NDT Level II in (RT,UT,MPT,DPT), Oil & Gas, 2015

NARAYAN NDT TRAINING CENTER - Jamnagar, GJ

AutoCAD Mechanical Drawing (P&ID, GAD, ISOMETRIC), Oil & Gas, 04/2021

CAD SOFT ENGINEERS - REWA M.P

Computer Skill: MS Word, Excel, PowerPoint, Internet

Bachelor of Technical Degree in Mechanical Engineering

Magadh University Year-2009

Intermediate

Bihar Board Year-2004

High School

Bihar Board Year-2002

ROLES AND RESPONSIBILITIES

- The following are the key activities involved in monitoring and planning the entire project in accordance with the construction schedule
- Resolving interface problems by coordinating with various disciplines
- Conducting daily, weekly, and monthly progress review meetings with contractors
- Flushing, testing, purging, and commissioning of the steel pipeline network
- Carrying out all construction activities, such as route survey, ROW grading, stringing, bending, welding, trenching, joint

coating, lowering, HDPE duct laying, OFC blowing, tie-in, backfilling, case crossing, river crossing, HDD, hydro-testing, and civil construction activities


- Laying of MDPE Dia 125mm, 63mm, and 20mm, lowering, backfilling, HDD testing, and civil construction activities. Responsible for manpower management of the Control Room
 - The installation of a pipeline can be done through trenchless methods like moiling and HDD, as well as through open-cut methods
 - Verification and final clearance for contractor-provided RFI including pipeline laying, holiday test, peel test, joint coating, and QA/QC activities
 - Monitoring & activities of pre-fabrication for piping spool such as Pig Launcher & Receiver etc
 - I supervise the fabrication and construction of pipelines, as well as perform pre- and hydrotesting of Horizontal Directional Drilling (HDD) projects
 - Inspection and monitoring of all welding activities, including material checks, qualification, and equipment, before, during, and after welding
 - Submit weekly reports of weld status, NDT status, weld repair status, and welder performance status to the QC Manager
 - Regular inspections were carried out on the hydro equipment and its associated instruments to ensure their proper functioning and performance
 - I have evaluated procedures such as cleaning, hydro testing, swabbing, and leak testing
 - Ensure that all works are carried out according to the Project Quality Plan and applicable international standards and codes, including P&ID, GAD, and ISOMETRIC Diagrams
 - Preparation of Quality Reports for completed works, Coordination with PMC, TPI, and client
-

PERSONAL INFORMATION

- Hobbies: Listening to music, Reading books
- Passport Number: U9384075
- Father's Name: Mishri Lal Singh
- Mother's Name: Savita Devi
- Date of birth: 10/03/84
- Marital status: Married

DECLARATION

I confirm that the above information is true to the best of my knowledge.



Sanjay Kumar

Date: - 15.04.2025

Place: - SHAHDOL (M.P)

(Signature)



SHANTI INFRACONSTRUCT PVT. LTD.

SHANTI INFRACONSTRUCT PRIVATE LIMITED

(Formerly Known as M/s Shanti Construction)

Registered Office : B-52, Sector-64, Noida, Gautam Budh Nagar, U.P.-201301 (INDIA)

Communication Add : H-160, Suit No. 5, Sector-63, Noida, Gautam Buddha Nagar, U.P. 201301 (INDIA)

Email : shantiinfraconstructpvtltd@gmail.com

Date: 28 APRIL 2024

TO WHOM IT MAY CONCERN


This is to certify that **Mr. Sanoj Kumar** was employed with us as a **Project Manager** from March 2023 to April 2024. During his tenure, he managed all quality and site-related activities for our project involving the Project:- Laying and construction of carbon-coated steel underground pipelines and associated works for the City Gas Distribution (CGD) project in Sidhi and Singrauli Districts, Madhya Pradesh.

We found **Mr. Sanoj Kumar** to be sincere, hardworking, loyal, disciplined, and skilled, possessing excellent character. We wish him all the success in his future endeavors.

Thank you.

Yours truly,

For SHANTI INFRACONSTRUCT PVT. LTD.


Director

JPN SINGH

(Director

M/s Shanti Infraconstruct Pvt Ltd.)

Date: 12.04.2023

TO WHOM IT MAY CONCERN

*This is to certify that **Mr Sanoj Kumar**, was employed in our organisation **M/s Mas Constructions** as a **Project in-charge Mechanical**, From **01 January 2020** to **20 March 2023** for CGD Project Rewa and Satna & Shahdol GA Madhya Pradesh,*

***Mr Sanoj Kumar** was involved in preparing Piping, Civil, laying construction, Erection, Testing, Pre-Commissioning, Commissioning, & As-Built drawing, and Handover Projects, furthermore he was responsible for technical office that includes Engineering/Vendor Technical documentation based on the contract of construction of Upstream & Downstream Pipelines for **IOCL REWA GA and BPCL SATNA & SHAHDOL GA Madhya Pradesh**.*

During his stay with us, his performance was excellent with excellent leadership qualities and management skills. His approach towards the job and conduct is excellent.

This letter of Appreciation is issued for his efforts towards completing the Project.

MAS CONSTRUCTIONS

S B Alam
S B
S B Alam
(Project Manager)
Mob: 7001195994





D. S. ENTERPRISES

C-200, LIG FLATS, EAST OF LONI ROAD,
SHAHDARA, DELHI-110093
PH.: 011-22817066
Email : dsentska@gmail.com

TO WHOM SOEVER IT MAY CONCERN

This is to certify that **Mr.Sanoj Kumar, S/o Mr. Shree Mishrilal Singh**
Working as a **Site Supervisor** from May 2017 to Aug 2019 in our
Organization **M/s. D S ENTERPRISES.** at Unnao in our ongoing Project
Achalganj to Unnao Gas Pipeline (CGD Project).

As par our record, his conduct and character during his stay at concern,
is good. He is sincere in work with hard working and punctual of time.
I wish him for success in future.

Date: 12.09.2019



(Project Manager)

D S ENTERPRISES

Date: 29.12.2012

TO WHOMSOEVER IT MAY CONCERN

This is to Certify that **Mr. Sanoj Kumar S/o Mr. Mishri Lal Singh** has Worked in our organization on the post of **Sr. Technician** from **19th MAY 2010** to **16th NOVEMBER 2012**

During the tenure he has performed well and we wish all the best for his Future endeavors.

Yours Truly

For Micromap Electronic Systems Pvt. Ltd


Prachi Nigam
(Manager-HR)

GLOBAL NDT & INSPECTION INSTITUTE

Certificate of Proficiency

This is to certify that

SANOJ KUMAR

*has met the certification requirements and has demonstrated proficiency by
qualification examination and is hereby certified to*

NDT LEVEL - II IN RADIOGRAPHIC TESTING

*(Training course and examination conducted as per the written practice no.
GNII/WP/001 Based on ASNT Document SNT-TC-1A- 2020 EDITION)*

| PAPER | %PASSING | %SCORE |
|--------------------|----------|--------|
| GENERAL | 70.0 | 81.0 |
| SPECIFIC | 70.0 | 82.0 |
| PRACTICAL | 70.0 | 88.0 |
| AVERAGE GRADING | 80.0 | 83.6 |



CERTIFICATE NO. RT-2502-181

THIS CERTIFICATE IS ISSUED ON. 09.01.2025.


VALID UPTO. 08.01.2030

| VISION EXAMINATION | |
|--------------------|----|
| NEAR VISION | OK |
| COLOUR VISION | OK |

REF. CERT. NO. NNTC/RT/JAN/702. Date- 10.01.2015

This Certificate is renewed based on
Continuing Performance & Vision Examination.

EXAMINER



CANDIDATE

HEAD OFFICE : Uttar Narikelda, Nimtouri, Tamluk, Purba Medinipur, W.B.-721648
BR. OFFICE : B405 Om Sagar HGS, Sector 19, Sahabaz gaon, CBD Belapur, Navi Mumbai - 400614
Mob. : +91 9323030749 Email : ndtinstec@gmail.com / tapas.ray@rediffmail.com

GLOBAL NDT & INSPECTION INSTITUTE

Certificate of Proficiency

This is to certify that


SANOJ KUMAR

*has met the certification requirements and has demonstrated proficiency by
qualification examination and is hereby certified to*

NDT LEVEL - II IN ULTRASONIC TESTING

*(Training course and examination conducted as per the written practice no.
GNII/WP/001 Based on ASNT Document SNT-TC-1A- 2020 EDITION)*

| PAPER | %PASSING | %SCORE |
|--------------------|----------|--------|
| GENERAL | 70.0 | 84.0 |
| SPECIFIC | 70.0 | 82.0 |
| PRACTICAL | 70.0 | 84.0 |
| AVERAGE GRADING | 80.0 | 83.3 |



CERTIFICATE NO. _UT-2502-181

THIS CERTIFICATE IS ISSUED ON. 09.01.2025.


VALID UPTO. 08.01.2030

| VISION EXAMINATION | |
|--------------------|----|
| NEAR VISION | OK |
| COLOUR VISION | OK |

REF. CERT. NO. NNTC/UT/JAN/703. Date- 10.01.2015

This Certificate is renewed based on
Continuing Performance & Vision Examination.


EXAMINER



CANDIDATE

HEAD OFFICE : Uttar Narikelda, Nimtouri, Tamluk, Purba Medinipur, W.B.-721648
BR. OFFICE : B405 Om Sagar HGS, Sector 19, Sahabaz gaon, CBD Belapur, Navi Mumbai - 400614
Mob. : +91 9323030749 Email : ndtinstec@gmail.com / tapas.ray@rediffmail.com

GLOBAL NDT & INSPECTION INSTITUTE

Certificate of Proficiency

This is to certify that

SANOJ KUMAR

*has met the certification requirements and has demonstrated proficiency by
qualification examination and is hereby certified to*

**NDT LEVEL - II
IN**

LIQUID PENETRANT TESTING

*(Training course and examination conducted as per the written practice no.
GNII/WP/001 Based on ASNT Document SNT-TC-1A- 2020 EDITION)*

| PAPER | %PASSING | %SCORE |
|--------------------|----------|--------|
| GENERAL | 70.0 | 86.0 |
| SPECIFIC | 70.0 | 89.0 |
| PRACTICAL | 70.0 | 80.0 |
| AVERAGE GRADING | 80.0 | 85.0 |



CERTIFICATE NO. PT-2502-181

THIS CERTIFICATE IS ISSUED ON. 09.01.2025.


VALID UPTO. 08.01.2030

| VISION EXAMINATION | |
|--------------------|----|
| NEAR VISION | OK |
| COLOUR VISION | OK |

REF. CERT. NO. NNTC/LPT/JAN/704. Date- 10.01.2015

This Certificate is renewed based on
Continuing Performance & Vision Examination.

EXAMINER



CANDIDATE

HEAD OFFICE : Uttar Narikelda, Nimtouri, Tamluk, Purba Medinipur, W.B.-721648
BR. OFFICE : B405 Om Sagar HGS, Sector 19, Sahabaz gaon, CBD Belapur, Navi Mumbai - 400614
Mob. : +91 9323030749 Email : ndtinstec@gmail.com / tapas.ray@rediffmail.com

GLOBAL NDT & INSPECTION INSTITUTE

Certificate of Proficiency

This is to certify that

SANOJ KUMAR


*has met the certification requirements and has demonstrated proficiency by
qualification examination and is hereby certified to*

**NDT LEVEL - II
IN**

MAGNETIC PARTICLE TESTING

*(Training course and examination conducted as per the written practice no.
GNII/WP/001 Based on ASNT Document SNT-TC-1A- 2020 EDITION)*

| PAPER | %PASSING | %SCORE |
|--------------------|----------|--------|
| GENERAL | 70.0 | 84.0 |
| SPECIFIC | 70.0 | 80.0 |
| PRACTICAL | 70.0 | 89.0 |
| AVERAGE GRADING | 80.0 | 84.3 |



CERTIFICATE NO. M-2502-181

THIS CERTIFICATE IS ISSUED ON. 09.01.2025.


VALID UPTO. 08.01.2030

| VISION EXAMINATION | |
|--------------------|----|
| NEAR VISION | OK |
| COLOUR VISION | OK |

REF. CERT. NO. NNTC/MPT/JAN/701. Date- 10.01.2015

This Certificate is renewed based on
Continuing Performance & Vision Examination.

EXAMINER



CANDIDATE

HEAD OFFICE : Uttar Narikelda, Nimtouri, Tamluk, Purba Medinipur, W.B.-721648
BR. OFFICE : B405 Om Sagar HGS, Sector 19, Sahabaz gaon, CBD Belapur, Navi Mumbai - 400614
Mob. : +91 9323030749 Email : ndtinstec@gmail.com / tapas.ray@rediffmail.com

GLOBAL NDT & INSPECTION INSTITUTE

Certificate of Proficiency

This is to certify that


SANOJ KUMAR

*has met the certification requirements and has demonstrated proficiency by
qualification examination and is hereby certified to*

NDT LEVEL - II IN VISUAL INSPECTION

*(Training course and examination conducted as per the written practice no.
GNII/WP/001 Based on ASNT Document SNT-TC-1A- 2020 EDITION)*

| PAPER | %PASSING | %SCORE |
|--------------------|----------|--------|
| GENERAL | 70.0 | 80.0 |
| SPECIFIC | 70.0 | 85.0 |
| PRACTICAL | 70.0 | 86.0 |
| AVERAGE GRADING | 80.0 | 83.6 |



CERTIFICATE NO. _VT-2502-181

THIS CERTIFICATE IS ISSUED ON. 09.01.2025.

VALID UPTO. 08.01.2030

| VISION EXAMINATION | |
|--------------------|----|
| NEAR VISION | OK |
| COLOUR VISION | OK |

REF. CERT. NO. NNTC/VI/JAN/705. Date- 10.01.2015

This Certificate is renewed based on
Continuing Performance & Vision Examination.


EXAMINER



CANDIDATE

HEAD OFFICE : Uttar Narikelda, Nimtouri, Tamluk, Purba Medinipur, W.B.-721648
BR. OFFICE : B405 Om Sagar HGS, Sector 19, Sahabaz gaon, CBD Belapur, Navi Mumbai - 400614
Mob. :+91 9323030749 Email : ndtinstec@gmail.com / tapas.ray@rediffmail.com

MAGADH UNIVERSITY, BODH-GAYA

PROVISIONAL CERTIFICATE




Folio No. H157

This is to certify that the undermentioned candidate has qualified for the award of Degree as detailed below :

Name : SANOJ KUMAR
Seat No. : PAT140254
Degree : B.TECH
Branch/
Specialization : MECHANICAL ENGINEERING
Month & Year of
Passing : JUNE, 2009
Classification : SECOND CLASS

Date : 10/10/2009


Controller of Examinations



NARAYAN NDT TRAINING CENTER

AN ISO : 9001:2015 CERTIFIED INSTITUTION


Certificate of Proficiency

This is to certify that

Sanoj Kumar

for having satisfactory completed a training course
and passed the examination as detailed below in
accordance with the requirement of ASNT document for


personnel qualification and certification in NDT, SNT-TC-1A Latest edition and is hereby certified to




NDT LEVEL II IN LIQUID PENETRANT TESTING

| | | | |
|------------------------|-----|---------------|------------|
| Academic Qualification | HSC | Date of Issue | 10-01-2015 |
| Training Hours | 58 | Valid upto | 09-01-2020 |

| Paper | Min. Passing % | Actual | Work Experience | 1 Years |
|-----------------|----------------|--------|-----------------|--------------------------|
| General | 70% | 86% | Near Vision | J2 |
| Specific | 70% | 89% | Acuity | With/ Without Correction |
| Practical | 70% | 80% | Colour Contrast | No Abnormality |
| Average Grading | 80% | 85% | | |



ASNT NDT Level-III Examiner




This certificate
Revalidated up to
08-01-2025 based on
continue performance.



Course Director

Plot No. 111/50, Near Krishna Dairy Farm, Jogvad-361280. Lalpur, Jamnagar. Email id : narayanndtconsultant@gmail.com



NARAYAN NDT TRAINING CENTER

AN ISO : 9001:2015 CERTIFIED INSTITUTION

Certificate of Proficiency

Certificate No. NNTC/MPT/JAN/701

This is to certify that
Sanoj Kumar

for having satisfactory completed a training course
and passed the examination as detailed below in
accordance with the requirement of ASNT document for
personnel qualification and certification in NDT, SNT-TC-1A Latest edition and is hereby certified to




NDT LEVEL II IN MAGNETIC PARTICLE TESTING

| | | | |
|------------------------|-----|---------------|------------|
| Academic Qualification | HSC | Date of Issue | 10-01-2015 |
| Training Hours | 80 | Valid upto | 09-01-2020 |

| Paper | Min. Passing % | Actual | Work Experience | 1 Years |
|-----------------|----------------|--------|-----------------|--------------------------|
| General | 70% | 84% | Near Vision | J2 |
| Specific | 70% | 80% | Acuity | With/ Without Correction |
| Practical | 70% | 89% | Colour Contrast | No Abnormality |
| Average Grading | 80% | 84.3% | | |




ASNT NDT level III Examiner



This certificate
Revalidated up to
08-01-2025
Based on
continue performance.



Course Director




NARAYAN NDT TRAINING CENTER

AN ISO : 9001:2015 CERTIFIED INSTITUTION

Certificate of Proficiency

This is to certify that
Sanoj Kumar

for having satisfactory completed a training course
and passed the examination as detailed below in
accordance with the requirement of ASNT document for
personnel qualification and certification in NDT, SNT-TC-1A Latest edition and is hereby certified to




NDT LEVEL II IN RADIOGRAPHY TESTING

| | | | | |
|------------------------|----------------|--------|-----------------------|--------------------------|
| Academic Qualification | | HSC | Date of Issue | 10-01-2015 |
| Training Hours | | 58 | Valid upto | 09-01-2020 |
| Paper | Min. Passing % | Actual | Work Experience | 1 Years |
| General | 70% | 81% | Near Vision Acuity | J2 |
| Specific | 70% | 82% | | With/ Without Correction |
| Practical | 70% | 88% | Colour Contrast | No Abnormality |
| Average Grading | 80% | 83.6% | | |



ASNT NDT level-III Examiner




This certificate
Revalidated up to
08-01-2025
Based on
continue performance.



Course Director

Plot No. 111/50, Near Krishna Dairy Farm, Jogvad-361280. Lalpur, Jamnagar. Email id : narayanndtconsultant@gmail.com



NARAYAN NDT TRAINING CENTER



AN ISO : 9001:2015 CERTIFIED INSTITUTION

Certificate of Proficiency

Certificate No. NNTC/UT/JAN/703

This is to certify that
Sanoj Kumar

for having satisfactory completed a training course
and passed the examination as detailed below in
accordance with the requirement of ASNT document for
personnel qualification and certification in NDT, SNT-TC-1A Latest edition and is hereby certified to




NDT LEVEL II IN ULTRASONIC TESTING

| | | | |
|------------------------|-----|---------------|------------|
| Academic Qualification | HSC | Date of Issue | 10-01-2015 |
| Training Hours | 65 | Valid upto | 09-01-2020 |

| Paper | Min. Passing % | Actual | Work Experience | 1 Years |
|-----------------|----------------|--------|-----------------|--------------------------|
| General | 70% | 84% | Near Vision | J2 |
| Specific | 70% | 82% | Acuity | With/ Without Correction |
| Practical | 70% | 84% | Colour Contrast | No Abnormality |
| Average Grading | 80% | 83.3% | | |



ASNT NDT level-III Examiner




This certificate
Revalidated up to
08-01-2025
based on
continue performance.



Course Director

Plot No. 111/50, Near Krishna Dairy Farm, Jogvad-361280. Lalpur, Jamnagar. Email id : narayanndtconsultant@gmail.com



NARAYAN NDT TRAINING CENTER

AN ISO : 9001:2015 CERTIFIED INSTITUTION

Certificate of Proficiency

Certificate No. NNTC/VI/JAN/705

This is to certify that
Sanoj Kumar

for having satisfactory completed a training course
and passed the examination as detailed below in
accordance with the requirement of ASNT document for
personnel qualification and certification in NDT, SNT-TC-1A Latest edition and is hereby certified to



NDT LEVEL II IN VISUAL INSPECTION

| | | | |
|------------------------|-----|---------------|------------|
| Academic Qualification | HSC | Date of Issue | 10-01-2015 |
| Training Hours | 48 | Valid upto | 09-01-2020 |

| Paper | Min. Passing % | Actual | Work Experience | 1 Years |
|-----------------|----------------|--------|-----------------|--------------------------|
| General | 70% | 80% | Near Vision | J2 |
| Specific | 70% | 85% | Acuity | With/ Without Correction |
| Practical | 70% | 86% | Colour Contrast | No Abnormality |
| Average Grading | 80% | 83.6% | | |

ASNT NDT Level-II Examiner

ASNT NDT Level-II
A. K. SRIVASTAVA
Certi. No. 2005
RT, UT, MPT, DPT, VT

This certificate
Revalidated up to
08-01-2025
Based on
continue performance.

Course Director



भारत सरकार

Government of India




संजीव कुमार

Sanoj Kumar


जन्म तिथि / DOB : 10/03/1984

पुरुष / Male



7731 1605 4783

आधार - आम आदमी का अधिकार



भारतीय विशिष्ट पहचान अधिकरण

Unique Identification Authority of India

पता:

S/O: मिश्री लाल सिंह, 32, मजरोही
रघुनन्दन, वैशाली, सहदेई बुजुर्ग,
वैशाली, सहदेई बुजुर्ग, बिहार,
844509

Address:

S/O: Mishree Lal Singh, 32,
Majrohi Raghunandan, Vaishali,
Sahdai Buzurg, Vaishali, Sahdai
Buzurg, Bihar, 844509

7731 1605 4783



1947
1800 333 1947



help@uidai.gov.in

www

www.uida.gov.in

INDIAN DRIVING LICENCE

GOVERNMENT OF BIHAR

FORM-7

DL: BR-3120160095420

Name : SANJO KUMAR



SN/D of : MISHRILAL SINGH

Address : AT-MAJROHI
RACHUNANDAN, PO-
SAHDEI BUZURG, PS-
DESARI, DIST-VAISHALI

Valid Till (Transport)

DOB : 10/03/1984 BG : A+

Valid Till (Non-Transport)

09/03/2034

Badge No :

[Signature]

Authorisation to drive the following vehicle
class throughout India

Signature of Holder

Type of Vehicles : LMV-NT MCWG LMV-NT MCWG only

Sign. of Licensing Authority

DTQ-VAISHALI

Issued on : 05/03/2016

DL: BR-3120160095420

Original LA : DTQ,VAISHALI

Old DL No :

Date Of Issue : 05/03/2016

Class Of Vehicles

| Vehicle Class | Issue Date |
|---------------|------------|
| LMV-NT | 05/03/2016 |
| MCWG | 05/03/2016 |
| LMV-NT | 05/03/2016 |
| MCWG | 05/03/2016 |



आयकर विभाग
INCOME TAX DEPARTMENT



भारत सरकार
GOVT. OF INDIA



ई-स्थायी लेखा संख्या कार्ड
e - Permanent Account Number Card

BOIPK2375H



नाम / Name
SANOJ KUMAR

पिता का नाम / Father's Name
MISHRI LAL SINGH

जन्म की तारीख /
Date of Birth
10/03/1984

हस्ताक्षर / Signature



Ministry of Health & Family Welfare
Government of India

Certificate for COVID-19 Vaccination

Issued in India by Ministry of Health & Family Welfare, Govt. of India

Certificate ID 98301433909

Beneficiary Details

| | |
|--|--|
| Beneficiary Name / लाभार्थी का नाम | Sanoj Kumar |
| Age / उम्र | 38 |
| Gender / लिंग | Male |
| ID Verified / पहचान पत्र सत्यापित | Passport # U9384075 |
| Unique Health ID (UHID) | |
| Beneficiary Reference ID | 62102326000130 |
| Vaccination Status / टीकाकरण की स्थिति | Fully Vaccinated (2 Doses) and a Precaution Dose |

Vaccination Details

| | | | |
|--|---|-------------|-----------------|
| Vaccine Name / वैक्सीन का नाम | COVISHIELD | | |
| Vaccine Type / टीका का प्रकार | COVID-19 vaccine, non-replicating viral vector | | |
| Manufacturer / उत्पादक | Serum Institute of India Pvt. Ltd. | | |
| Dose Number / खुराक की संख्या | 1/2 | 2/2 | Precaution dose |
| Date of Dose / खुराक की तारीख | 24 May 2021 | 18 Aug 2021 | 29 Jul 2022 |
| Batch Number / बैच संख्या | 4121Z073 | 4121Z165 | 4121MF036 |
| Vaccinated By / टीका लगाने वाले का नाम | Nirmala pasi | | |
| Vaccination At / टीकाकरण का स्थान | SDL Nagar Palika Parisar Shah, Shahdol, Madhya Pradesh | | |




“दवाई भी और कड़ाई भी।
Together, India will defeat
COVID-19”
- प्रधानमंत्री नरेंद्र मोदी

In case of any adverse events, kindly contact the nearest Public Health Center/
Healthcare Worker/District Immunization Officer/State Helpline No. 1075

टीकाकरण पश्चात किसी प्रतिकूल घटना के होने पर नजदीकी स्वास्थ्य केंद्र/स्वास्थ्य कर्मी/जिला टीकाकरण
अधिकारी/राज्य हेल्प लाइन 1075 पर सम्पर्क करें

COWIN
Winning Over COVID



This certificate can be verified by scanning the QR code at
<http://verify.cowin.gov.in>